

Accessories

We are convinced accessories are auxiliary tools. Their development follows from practical situations in which challenges and problems present themselves; problems which could have been prevented by properly estimating the diversity and complexity of the work.

After more than 40 years of practical experience we dare to say we are familiar with most challenges that you may encounter. Euroboor accessories have been developed for direct practical solutions and comfort at work. Non-magnetic base, horizontal drilling or lack of space, you can proceed undisrupted at all times.


Our accessories are professional solutions that are specifically designed for and tuned to your activities.


Practical solutions for comfort at work



Weldon setup overview

— Absolute connection Optional connection





Adapters

Pipe Adapter kit

- Suitable for tube diameter from \varnothing 35 mm up to 550 mm
- Suitable for all Euroboor magnetic drilling machines (except ECO.200 & TUBE serie)
- Suitable for almost all drilling machines in the market (for universal use)

Sizing PAK.250

Length: 286 mm
Width: 268 mm
Height: 96 mm

Sizing inside plate

Length: 265 mm
Width: 112 mm
Height: 14 mm

Weight

12,5 kg

PAK.250



Vacuum Adapter kit \varnothing 300 mm

including pump

- Sizing: \varnothing 300 mm

VAC.810




Vacuum Adapter kit oval

Clamp system with 2 suction pads including pump

- Sizing: 450 x 250 mm

VAC.820



Components also available separately

Vacuum pump

- Power: 1/2 hp
- Inlet port: 1/4" flare & 3/8" flare
- Ultimate vacuum: 3×10^{-1} Pa, 25 microns
- Flow rate: 5 CFM, 142 l/min (110V)
4,5 CFM, 128 l/min (220V)
- Voltage: 110 - 120 V / 220 - 240 V / 50 - 60 Hz

VAC.001

Vacuum plate round \varnothing 300 mm

VAC.002

Vacuum plate oval \varnothing 450 x 250 mm

VAC.003

Extensions



Extension Weldon 25 mm
19,05 mm (3/4") Weldon, 25 mm (1")
extension, outer Ø 35 mm (1 3/8")
For 6,35 mm (1/4") pilot pins

IBK.25

For 8 mm (5/16") pilot pins

IBK.25/8



Extension Weldon 50 mm
19,05 mm (3/4") Weldon, 50 mm (2")
extension, outer Ø 35 mm (1 3/8")
For 6,35 mm (1/4") pilot pins

IBK.50

For 8 mm (5/16") pilot pins

IBK.50/8



Extension Weldon 75 mm
19,05 mm (3/4") Weldon, 75 mm (2 15/16")
extension, outer Ø 35 mm (1 3/8")
For 6,35 mm (1/4") pilot pins

IBK.75

For 8 mm (5/16") pilot pins

IBK.75/8



Extension Weldon 100 mm
19,05 mm (3/4") Weldon, 100 mm (3 15/16")
extension, outer Ø 35 mm (1 3/8")
For 6,35 mm (1/4") pilot pins

IBK.100

For 8 mm (5/16") pilot pins

IBK.100/8

**MT2 - 100 mm
extension**
MT2 - MT2

IBK.MC2-L100

**MT3 - 250 mm
extension**
MT3 - MT3

IBK.MC3-L250

**MT3 - 121 mm
extension**
MT3 - MT3

IBK.MC3-L121

**MT3 - 450 mm
extension**
MT3 - MT3

IBK.MC3-L450



Connections



Adapter Nitto One Touch
(external) to 19,05 mm (3/4")
Weldon (internal)

IBK.NIT



Adapter Fein Quick-In
(external) to 19,05 mm (3/4")
Weldon (internal)

IBK.QFN



Adapter 19,05 mm Weldon
(external) to 1/2" x 20 UNF

IBK.14



Adapter 19,05 mm Weldon
(external) to B16 drill chuck
connection

IBK.16-14



Reduction ring
31,75 mm (1 1/4") Weldon (external)
to 19,05 mm (3/4") Weldon (internal)

IBK.3219

Morse Taper reductions



Morse Taper reduction
MT3 (machine)
to MT2 (tool holder)

IBK.MC3-MC2



Morse Taper reduction
MT4 (machine)
to MT3 (tool holder)

IBK.MC4-MC3

Arbors



MC.2 / MC.3

Arbor MT2 - 19,05 mm (3/4") Weldon
For cutters Ø 12 - 60 mm

MC.2

Arbor MT2 - 19,05 mm (3/4") Weldon
Including lubrication ring

IMC.20

Auto Arbor MT2 - 19,05 mm (3/4") Weldon
Including lubrication ring
Quick exchange, Weldon connection

IMC.2Q



Auto Arbor IMC.2Q / IMC.3Q

Arbor MT3 - 19,05 mm (3/4") Weldon
For cutters Ø 12 - 60 mm

MC.3

Arbor MT3 - 19,05 mm (3/4") Weldon
Including lubrication ring

IMC.30/19-N

Auto Arbor MT3 - 19,05 mm (3/4") Weldon
Including lubrication ring
Quick exchange, Weldon connection

IMC.3Q



MC.3/32

Arbor MT3 - 31,75 mm (1 1/4") Weldon
For cutters Ø 61 - 100 mm

MC.3/32

Arbor MT3 - 31,75 mm (1 1/4") Weldon
Including lubrication ring

IMC.30/32-N

Arbor MT4 - 31,75 mm (1 1/4") Weldon
Including lubrication ring

IMC.40/32-N



IMC.30/19-N / IMC.30/32-N



Adapter 1/2" x 20 UNF
(external) to 1/2" x 20 UNF
(internal) extension adapter for
drill chucks fitting length 65 mm

IBK.15



Before and after
assembly of a shorter
extension adapter
IBK.15 for use with
drill chucks.

Benefit:
increases space
for twist drills

IBK.15 with a
drill chuck IBQ.13
for illustration purpose

Drill chuck connections



Morse Taper 2 to B16
Spindle connection
B16-MC2



Morse Taper 3 to B16
Spindle connection
B16-MC3



Morse Taper 2 to 1/2" x 20 UNF
Spindle connection
1/2UNF-MC2



Morse Taper 3 to 1/2" x 20 UNF
Spindle connection
1/2UNF-MC3

Morse Taper 2 to B18
Spindle connection
B18-MC2

Morse Taper 3 to B18
Spindle connection
B18-MC3

Twist drill chucks



Drill chuck
DIA Ø 1,5 - 13 mm,
1/2" x 20 UNF connection
IBK.13



Keyless drill chuck
DIA Ø 2 - 13 mm
1/2" x 20 UNF connection
IBK.13Q



Drill chuck
DIA Ø 1,5 - 13 mm
B16 connection
IBK.13-B16



Drill chuck
DIA Ø 1,5 - 16 mm
B16 connection
IBK.16



Drill chuck quick connect
DIA Ø 1,5 - 13 mm
1/2" x 20 UNF connection
IBQ.13



Drill chuck quick connect
DIA Ø 1,5 - 16 mm
B16 connection
IBQ.16

The IBQ.13 and IBQ.16 Quick connect drill chucks are keyless, three-jaw, self-centering chucks that hold drill bits in place during drilling tasks. They can be used with magnetic drilling machines together with Euroboor accessories like IBK.14, IBK.15 and 1/2" x 20 UNF Morse Taper.